

ex FIBER OPTICS

LIST OF CALIBRATION COEFFICIENTS - EXAMPLE

Customer order: Revision: A Print date: 03.05.2021

EQUATIONS

STRAIN EQUATION

$$\Delta \varepsilon = \frac{\Delta \lambda - B \cdot \Delta T}{A}$$

$$\Delta \lambda = \frac{\lambda_{act} - \lambda_0}{\lambda_0} \qquad \Delta T = (T_{act} - T_0)$$

Description
Strain shift
Initial strain wavelength
Initial temperature
Actual temperature
Actual strain wavelength

STRING EXPRESSION

 $\Delta \varepsilon = ((\Delta \lambda - B * \Delta T) / A)$ $\Delta \lambda = ((\lambda act - \lambda 0) / \lambda 0)$ $\Delta T = (T act - T0)$

For the determination of the strain sensitivity the free fiber length was used as a basis

**1 To be measured after installation of the sensor

**2 Measured value during monitoring of the sensor

CALIBRATION COEFFICIENTS

				STRA	STRAIN COEFFICIENTS	
Nr.	Serial number	FBG	Product	Α [με ⁻¹]	B [°C ⁻¹]	
		1		7,75842E-07	5,89292E-06	
1	198134/0001	2	DSS-01; WL: 1550-60-70nm, LCP-03: 2x 1mtr, 2x FC/APC	7,75842E-07	5,89292E-06	
		3		7,75842E-07	5,89292E-06	