


VERTEX 6x LC duplex splicing module

Basic characteristics

- ▲ Special size for VERTEX HD Patch panel for 12 connections
- ▲ Equipped with VERTEX LC duplex adaptors, 12x LC pigtails terminated with 250um colored fibres, 12-position splice holder and 12x 40mm splice protectors
- ▲ Used for direct splicing of LC preterm cables to additional extension cables
- ▲ Easy cable fixation to the module



Temperature range

Indoor controlled environment (-10°C / +60°)

Parameters

Dimensions	84.6 x 142 x 11.8mm
Material	plastic
Colour	Transparent black
Capacity	Up to 12 fibres
Fixation	Slide guides with tabs on both sides
Color of adapters	blue (UPC), green (APC), aqua (OM3), magenta (OM4), lime (OM5)
Color of connector	blue (UPC), green (APC), aqua (OM3), magenta (OM4), lime (OM5)
Color of boot	white
Color of fibres	Twelve standard 250um coloured fibres
Pigtail length	1,5m
Polish	Flat SM (UPC) / Angled (APC) Flat MM (PC)
Insertion Loss (acc. IEC 61300-3-4)	<0,25dB (@1,310/1,550nm / @850/1,300nm)
Return Loss (acc. IEC 61300-3-6)	>50dB(UPC) / >65dB(APC) / >20dB (PC) (@1,310/1,550nm / @850/1,300nm)

Identification

Label with unique serial number

Packaging

Each module in cardboard box, bulk pack in master cardboard box.

* Specifications subject to change without notice

For more information, contact our sales team at sales@sylex.sk