



REAR VIEW



FRONT VIEW



FIBER OPTICS

sylex

ADAPTERS COLOUR

MODE	MTP	LCD
OS2	GREEN	BLUE
OS2-APC	GREEN	GREEN
OM3	AQUA	AQUA
OM4	MAGENTA	MAGENTA
OM5	LIME	LIME

ORDERING CODE

M12X-XX2-BXS

- L Standard polarity, B polarity B
- F MTP female, M MTP male (direct split)
- L LC/PC, A LC/APC (direct split)
- 9 OS2, 3 OM3, 4 OM4, 5 OM5
- M MTP PANEL SYSTEM

NOTES:

- 1 - OM3, OM4: IL<0.6dB AT 850nm AND 1300nm - CHANNEL VALUE ACCORDING IEC 61280-4-1 ONE-CORD REFERENCE METHOD
RL>19.6dB AT 850nm AND 1300nm - CHANNEL GUARANTEED VALUE
- OS2: IL<0.6dB AT 1310nm AND 1550nm - CHANNEL VALUE ACCORDING IEC 61280-4-1 ONE-CORD REFERENCE METHOD
RL>47B (UPC) AT 1310nm AND 1550nm - CHANNEL GUARANTEED VALUE
RL>49.6B (APC) AT 1310nm AND 1550nm - CHANNEL GUARANTEED VALUE
- VISUAL ASPECT CHECK ACCORDING TO IEC 61300-3-35
- END FACE GEOMETRY ACCORDING TO TELCORDIA GR-326 (Singlefiber connector)
- END FACE GEOMETRY ACCORDING TO IEC 61755-3-31 (Multifiber connector - APC polished)
- END FACE GEOMETRY ACCORDING TO IEC 63267-3-31 (Multifiber connector - FLAT polished)
- 2 - SYLEX-SX-O LABEL ON PRODUCT PACKAGING AND MASTER CARDBOARD BOX
- 3 - CUMULATIVE TEST REPORT OF MEASURED IL AND RL VALUES SENT ON DEMAND IN ELECTRONIC FORM

REVISION-DATE: A - 13.01.2020	CHANGE:	DRAWN BY, DATE: M.Ruzbarsky 2020/01/13	TITLE: 1x12f MTP to 6xLC DUPLEX MODULE	
New drawing		CHECKED BY, DATE: Pavlov/Matúš 2020/01/13		
REVISION-DATE:	CHANGE:	APPROVED BY, DATE: I.Brestovanská 2020/01/13	PRODUCT SPECIFICATION: -	DIMENSIONS IN MM UNLESS SPECIFIED
		PRODUCT NUMBER: M12X-XX2-BXS	DRAWING NUMBER: 1-S-2950_1_A	SCALE: NO SCALE
		A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO SYLEX s.r.o AND ANY USE WITHOUT PRIOR WRITTEN PERMISSION IS PROHIBITED	
				SHEET NO. 1 of 1
				SIZE A3